






Length over all incl. bowsprit         11,90 m         39,04 ft           Length hull         10,99 m         36,05 ft           Length waterline         11,27 m         36,97 ft           Beam of hull         3,98 m         13,06 ft           Draught standard         2,05 m         6,73 ft           Draught option         1,65 m         5,41 ft           Ballast standard         2,279 kg         5,553 lb           Ballast standard         2,279 kg         5,553 lb           Displacement with deep keel 2,05 m         9,386 kg         20,692 lb           Displacement with shallow keel 1,65 m         9,558 kg         21,282 lb           Displacement with shallow keel 1,65 m         9,658 kg         21,28 kW /29,3 ftp           Engine (standard)         7,31 kW /29,3 ftp         21,3 kW /29,3 ftp           Engine (standard)         Yanmar 3YM30         Yanmar 3YM30         Yanmar 3YM30           Engine (option)         29,4 kW /40 PS         29,4 kW /40 hp         Engine (option)         Yanmar 3JH40         Yanmar 3JH40 <th>Length over all</th> <th>11,31 m</th> <th>37,10 ft</th>	Length over all	11,31 m	37,10 ft	
Length waterline         11,27 m         36,97 ft           Beam of hull         3,98 m         13,06 ft           Draught standard         2,05 m         6,73 ft           Draught standard         2,05 m         5,41 ft           Ballast standard         2,279 kg         5,024 lb           Ballast stoption         2,519 kg         5,553 lb           Displacement with deep keel 2,05 m         9,386 kg         20,692 lb           Displacement with shallow keel 1,65 m         9,658 kg         21,292 lb           Engine (standard)         21,3 kW / 29,3 PS         21,3 kW / 29,3 hp           Engine (standard)         42,3 kW / 29,3 PS         21,3 kW / 29,3 hp           Engine (option)         29,4 kW / 40 PS         29,4 kW / 40 PS           Engine (option)         29,4 kW / 40 PS         29,4 kW / 40 hp           Engine (option)         40 mmar 3YM30         40 mmar 3YM30           Fuel tank (approx.)         210 L         55 gal           Sail area total (standard)         73,0 m²         785,7 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (standard)         42,8 m²         1367,0 sq.ft           Genoa<	Length over all incl. bowsprit	11,90 m	39,04 ft	
Beam of hull         3,98 m         13,06 ft           Draught standard         2,05 m         6,73 ft           Draught option         1,65 m         5,41 ft           Ballast standard         2,279 kg         5,024 lb           Ballast option         2,519 kg         5,553 lb           Displacement with deep keel 2,05 m         9,386 kg         20,692 lb           Displacement with shallow keel 1,65 m         9,658 kg         21,292 lb           Engine (standard)         21,3 kW/ 29,3 PS         21,3 kW/ 29,3 hp           Engine (standard)         Yanmar 3YM30         Yanmar 3YM30           Engine (option)         29,4 kW / 40 PS         29,4 kW / 40 hp           Engine (option)         Yanmar 3JH40         Yanmar 3JH40           Fuel tank (approx.)         210 L         55 gal           Sail area total (standard)         73,0 m²         785,7 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (furling mast, vertical full battens)         42,8 m²         46,10 sq.ft           Jib         27,0 m²         290,6 sq.ft           Genoa         33,0 m²         35,5 z sq.ft           Genoa         33,0 m²         55,5 z sq.ft           Mast length (max.) from waterline excl. Wi	Length hull	10,99 m	36,05 ft	
Draught standard         2,05 m         6,73 ft           Draught option         1,65 m         5,41 ft           Ballast standard         2,279 kg         5,024 lb           Ballast standard         2,279 kg         5,553 lb           Displacement with deep keel 2,05 m         9,386 kg         20,692 lb           Displacement with shallow keel 1,65 m         9,658 kg         21,292 lb           Engine (standard)         Yanmar 3YM30         Yanmar 3YM30           Engine (standard)         Yanmar 3YM30         Yanmar 3YM30           Engine (standard)         Yanmar 3YH40         Yanmar 3YH40           Engine (option)         Yanmar 3YH40         Yanmar 3YH40           Fuel tank (approx.)         210 L         55 gal           Sail area total (standard)         73,0 m²         785,7 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (standard)         42,8 m²         46,10 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoa         33,0 m²         76,2 sq.ft           Genoa         33,0 m²         764,2 sq.ft           Genoa         127,0 m²         764,2 sq.ft           Mast length (max.) from waterline excl. Windex         18,57 m	Length waterline	11,27 m	36,97 ft	
Draught option         1,65 m         5,41 ft           Ballast standard         2,279 kg         5,024 lb           Ballast option         2,519 kg         5,553 lb           Displacement with deep keel 2,05 m         9,386 kg         20,692 lb           Displacement with shallow keel 1,65 m         9,658 kg         21,292 lb           Engine (standard)         21,3 kW / 29,3 PS         21,3 kW / 29,3 hp           Engine (standard)         Yanmar 3YM30         Yanmar 3YM30           Engine (option)         29,4 kW / 40 PS         29,4 kW / 40 hp           Engine (option)         Yanmar 3JH40         Yanmar 3JH40           Fuel tank (approx.)         210 L         55 gal           Water tank (approx.)         210 L         55 gal           Sail area total (standard)         73.0 m²         785,7 sq.ft           Mainsail (standard)         46.0 m²         495,1 sq.ft           Mainsail (standard)         42,8 m²         4610 sq.ft           Jib         27.0 m²         290,6 sq.ft           Genoa         33,0 m²         355.2 sq.ft           Genoa         33,0 m²         355.2 sq.ft           Genoa         18,5 m         60,92 ft           Mast length (max.) from waterline excl. Windex         18,5 m	Beam of hull	3,98 m	13,06 ft	
Ballast standard         2.279 kg         5.024 lb           Ballast option         2.519 kg         5.553 lb           Displacement with deep keel 2,05 m         9.386 kg         20.692 lb           Displacement with shallow keel 1,65 m         9.658 kg         21.292 lb           Engine (standard)         21,3 kW / 29,3 PS         21,3 kW / 29,3 hp           Engine (option)         29.4 kW / 40 PS         29.4 kW / 40 hp           Engine (option)         Yanmar 3JH40         Yanmar 3JH40           Fuel tank (approx.)         210 L         55 gal           Water tank (approx.)         210 L         20 kg<	Draught standard	2,05 m	6,73 ft	
Ballast option         2.519 kg         5.553 lb           Displacement with deep keel 2,05 m         9.386 kg         20.692 lb           Displacement with shallow keel 1,65 m         9.658 kg         21.292 lb           Engline (standard)         21,3 kW / 29,3 kp         21,3 kW / 29,3 kp           Engline (standard)         Yanmar 3VM30         Yanmar 3VM30           Engline (option)         29.4 kW / 40 PS         29.4 kW / 40 hp           Engline (option)         Yanmar 3JH40         Yanmar 3JH40           Fuel tank (approx.)         210 L         55 gal           Water tank (approx.)         210 L         55 gal           Water tank (approx.)         210 L         55 gal           Sali area total (standard)         73,0 m²         785,7 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (furling mast, vertical full battens)         42,8 m²         461,0 sq.ft           Jib         27,0 m²         290,6 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoale         12,70 m²         1367,0 sq.ft           Code 0         71,0 m²         764,2 sq.ft           Mast length (max.) from waterline excl. Windex         18,57 m         60,92 ft           P	Draught option	1,65 m	5,41 ft	
Displacement with deep keel 2,05 m         9.386 kg         20.692 lb           Displacement with shallow keel 1,65 m         9.658 kg         21.292 lb           Engine (standard)         21,3 kW / 29.3 PS         21,3 kW / 29.3 hp           Engine (standard)         Yanmar 3YM30         Yanmar 3YM30           Engine (option)         29.4 kW / 40 PS         29.4 kW / 40 hp           Engine (option)         Yanmar 3JH40         Yanmar 3JH40           Fuel tank (approx.)         210 L         55 gal           Water tank (approx.)         210 L         55 gal           Sail area total (standard)         73.0 m²         785,7 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (furling mast, vertical full battens)         42,8 m²         461,0 sq.ft           Jib         27,0 m²         290,6 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoa         71,0 m²         764,2 sq.ft           Wast length (max.) from waterline excl. Windex         18,57 m         60,92 ft           L         15,00 m         49,21 ft           E         5,28 m         17,32 ft           Cabins         2/3	Ballast standard	2.279 kg	5.024 lb	
Displacement with shallow keel 1,65 m         9.658 kg         21.292 lb           Engine (standard)         21,3 kW / 29,3 PS         21,3 kW / 29,3 hp           Engine (standard)         Yanmar 3YM30         Yanmar 3YM30           Engine (option)         29,4 kW / 40 PS         29,4 kW / 40 hp           Engine (option)         Yanmar 3JH40         Yanmar 3JH40           Engine (option)         210 L         55 gal           Water tank (approx.)         210 L         55 gal           Sail area total (standard)         73,0 m²         785,7 sq.ft           Wainsail (standard)         46,0 m²         495,1 sq.ft           Wainsail (furling mast, vertical full battens)         42,8 m²         461,0 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoa         127,0 m²         1367,0 sq.ft           Code 0         71,0 m²         764,2 sq.ft           Wast length (max.) from waterline excl. Windex         18,57 m         60,92 ft           Description         15,50 m         50,85 ft           Description         17,22 ft         2/3           Cabins         2/3         2/3 </td <td>Ballast option</td> <td>2.519 kg</td> <td>5.553 lb</td>	Ballast option	2.519 kg	5.553 lb	
Engine (standard)         21,3 kW/ 29,3 PS         21,3 kW/ 29,3 hp           Engine (standard)         Yanmar 3YM30         Yanmar 3YM30           Engine (option)         29,4 kW / 40 PS         29,4 kW / 40 hp           Engine (option)         Yanmar 3JH40         Yanmar 3JH40           Fuel tank (approx.)         210 L         55 gal           Water tank (approx.)         460 m²         4951 sq.ft           Wail (standard)         460 m²         4951 sq.ft           Wail (standard)         270 m²         290,6 sq.ft	Displacement with deep keel 2,05 m	9.386 kg	20.692 lb	
Engine (standard)         Yanmar 3YM30         Yanmar 3YM30           Engine (option)         29,4 kW / 40 PS         29,4 kW / 40 hp           Engine (option)         Yanmar 3JH40         Yanmar 3JH40           Fuel tank (approx.)         210 L         55 gal           Water tank (approx.)         210 L         55 gal           Sail area total (standard)         73,0 m²         785,7 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (furling mast, vertical full battens)         42,8 m²         461,0 sq.ft           Jib         27,0 m²         290,6 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Gennaker         127,0 m²         1367,0 sq.ft           Code 0         71,0 m²         764,2 sq.ft           Mast length (max.) from waterline excl. Windex         18,57 m         60,92 ft           L         15,50 m         50,85 ft           J         4,28 m         14,04 ft           P         15,00 m         49,21 ft           E         5,28 m         17,32 ft           Cabins         2/3         2/3           Head         1/2         1/2           CE category         A8 / B12 / C14         A8	Displacement with shallow keel 1,65 m	9.658 kg	21.292 lb	
Engine (option)         29,4 kW / 40 PS         29,4 kW / 40 PP           Engine (option)         Yanmar 3JH40         Yanmar 3JH40           Fuel tank (approx.)         210 L         55 gal           Water tank (approx.)         210 L         55 gal           Sail area total (standard)         73,0 m²         785,7 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (furling mast, vertical full battens)         42,8 m²         461,0 sq.ft           Jib         27,0 m²         290,6 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoaker         127,0 m²         1367,0 sq.ft           Code 0         71,0 m²         764,2 sq.ft           Mast length (max.) from waterline excl. Windex         18,57 m         60,92 ft           L         15,50 m         50,85 ft           J         4,28 m         14,04 ft           P         15,00 m         49,21 ft           E         528 m         17,32 ft           Cabins         2/3         2/3           Head         1/2         A8 / B12 / C14           Design         Cossutti Yacht Design	Engine (standard)	21,3 kW / 29,3 PS	21,3 kW / 29,3 hp	
Engine (option)         Yanmar 3JH40         Yanmar 3JH40           Fuel tank (approx.)         210 L         55 gal           Water tank (approx.)         210 L         55 gal           Sail area total (standard)         73.0 m²         785,7 sq.ft           Mainsail (standard)         46.0 m²         495,1 sq.ft           Mainsail (furling mast, vertical full battens)         42,8 m²         461,0 sq.ft           Jib         27,0 m²         290,6 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoaker         127,0 m²         1367,0 sq.ft           Code 0         71,0 m²         764,2 sq.ft           Mast length (max.) from waterline excl. Windex         18,57 m         60,92 ft           U         4,28 m         14,04 ft           D         4,28 m         14,04 ft           D         15,00 m         49,21 ft           E         5,28 m         17,32 ft           Cabins         2/3         2/3           Head         1/2         1/2           Design         Cossutti Yacht Design	Engine (standard)	Yanmar 3YM30	Yanmar 3YM30	
Fuel tank (approx.)         210 L         55 gal           Water tank (approx.)         210 L         55 gal           Sail area total (standard)         73,0 m²         785,7 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (furling mast, vertical full battens)         42,8 m²         461,0 sq.ft           Jib         27,0 m²         290,6 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Genoaker         127,0 m²         1367,0 sq.ft           Code 0         71,0 m²         764,2 sq.ft           Mast length (max.) from waterline excl. Windex         18,57 m         60,92 ft           L         15,50 m         50,85 ft           J         4,28 m         14,04 ft           P         15,00 m         49,21 ft           E         5,28 m         17,32 ft           Cabins         2/3         2/3           Head         1/2         1/2           Design         Cossutti Yacht Design	Engine (option)	29,4 kW / 40 PS	29,4 kW / 40 hp	
Water tank (approx.)         210 L         55 gal           Sail area total (standard)         73,0 m²         785,7 sq.ft           Mainsail (standard)         46,0 m²         495,1 sq.ft           Mainsail (furling mast, vertical full battens)         42,8 m²         461,0 sq.ft           Ubib         27,0 m²         290,6 sq.ft           Genoa         33,0 m²         355,2 sq.ft           Gennaker         127,0 m²         1367,0 sq.ft           Code 0         71,0 m²         764,2 sq.ft           Mast length (max.) from waterline excl. Windex         18,57 m         60,92 ft           U         4,28 m         14,04 ft           D         15,50 m         50,85 ft           U         4,28 m         14,04 ft           D         15,00 m         49,21 ft           E         5,28 m         17,32 ft           Cabins         2/3         2/3           Head         1/2         1/2           Design         Cossutti Yacht Design	Engine (option)	Yanmar 3JH40	Yanmar 3JH40	
Sail area total (standard)       73,0 m²       785,7 sq.ft         Mainsail (standard)       46,0 m²       495,1 sq.ft         Mainsail (furling mast, vertical full battens)       42,8 m²       461,0 sq.ft         Ubib       27,0 m²       290,6 sq.ft         Genoa       33,0 m²       355,2 sq.ft         Gennaker       127,0 m²       1367,0 sq.ft         Code 0       71,0 m²       764,2 sq.ft         Mast length (max.) from waterline excl. Windex       18,57 m       60,92 ft         U       4,28 m       14,04 ft         D       4,28 m       14,04 ft         D       15,00 m       49,21 ft         E       5,28 m       17,32 ft         Cabins       2/3       2/3         Head       1/2       1/2         Design       Ocssutti Yacht Design	Fuel tank (approx.)	210 L	55 gal	
Wainsail (standard)       46,0 m²       495,1 sq.ft         Wainsail (furling mast, vertical full battens)       42,8 m²       461,0 sq.ft         Jib       27,0 m²       290,6 sq.ft         Genoa       33,0 m²       355,2 sq.ft         Gennaker       127,0 m²       1367,0 sq.ft         Code 0       71,0 m²       764,2 sq.ft         Wast length (max.) from waterline excl. Windex       18,57 m       60,92 ft         J       4,28 m       14,04 ft         D       15,00 m       49,21 ft         E       5,28 m       17,32 ft         Cabins       2/3       2/3         Head       1/2       1/2         CE category       A8 / B12 / C14       A8 / B12 / C14         Design       Cossutti Yacht Design	Water tank (approx.)	210 L		
Mainsail (furling mast, vertical full battens)       42,8 m²       461,0 sq.ft         Jib       27,0 m²       290,6 sq.ft         Genoa       33,0 m²       355,2 sq.ft         Gennaker       127,0 m²       1367,0 sq.ft         Code 0       71,0 m²       764,2 sq.ft         Mast length (max.) from waterline excl. Windex       18,57 m       60,92 ft         I       15,50 m       50,85 ft         J       4,28 m       14,04 ft         P       15,00 m       49,21 ft         E       5,28 m       17,32 ft         Cabins       2/3       2/3         Head       1/2       1/2         CE category       A8 / B12 / C14       A8 / B12 / C14         Design       Cossutti Yacht Design	Sail area total (standard)	73,0 m²		
Dib       27,0 m²       290,6 sq.ft         Genoa       33,0 m²       355,2 sq.ft         Gennaker       127,0 m²       1367,0 sq.ft         Code 0       71,0 m²       764,2 sq.ft         Mast length (max.) from waterline excl. Windex       18,57 m       60,92 ft         J       15,50 m       50,85 ft         J       4,28 m       14,04 ft         P       15,00 m       49,21 ft         E       5,28 m       17,32 ft         Cabins       2/3       2/3         Head       1/2       1/2         CE category       A8 / B12 / C14       A8 / B12 / C14         Design       Cossutti Yacht Design	Mainsail (standard)	46,0 m²	495,1 sq.ft	
Genoa     33,0 m²     355,2 sq.ft       Gennaker     127,0 m²     1367,0 sq.ft       Code 0     71,0 m²     764,2 sq.ft       Mast length (max.) from waterline excl. Windex     18,57 m     60,92 ft       I     15,50 m     50,85 ft       J     4,28 m     14,04 ft       P     15,00 m     49,21 ft       E     5,28 m     17,32 ft       Cabins     2/3     2/3       Head     1/2     1/2       CE category     A8 / B12 / C14     A8 / B12 / C14       Design     Cossutti Yacht Design	Mainsail (furling mast, vertical full battens)	42,8 m²		
Gennaker     127,0 m²     1367,0 sq.ft       Code 0     71,0 m²     764,2 sq.ft       Mast length (max.) from waterline excl. Windex     18,57 m     60,92 ft       J     15,50 m     50,85 ft       J     4,28 m     14,04 ft       P     15,00 m     49,21 ft       E     5,28 m     17,32 ft       Cabins     2/3     2/3       Head     1/2     1/2       CE category     A8 / B12 / C14     A8 / B12 / C14       Design     Cossutti Yacht Design	Jib	27,0 m²		
Code 0       71,0 m²       764,2 sq.ft         Mast length (max.) from waterline excl. Windex       18,57 m       60,92 ft         J       15,50 m       50,85 ft         J       4,28 m       14,04 ft         D       15,00 m       49,21 ft         E       5,28 m       17,32 ft         Cabins       2/3       2/3         Head       1/2       1/2         CE category       A8 / B12 / C14       A8 / B12 / C14         Design       Cossutti Yacht Design	Genoa	33,0 m²		
Mast length (max.) from waterline excl. Windex     18,57 m     60,92 ft       15,50 m     50,85 ft       J     4,28 m     14,04 ft       D     15,00 m     49,21 ft       E     5,28 m     17,32 ft       Cabins     2/3     2/3       Head     1/2     1/2       CE category     A8 / B12 / C14     A8 / B12 / C14       Design     Cossutti Yacht Design	Gennaker	127,0 m²	1367,0 sq.ft	
15,50 m     50,85 ft       J     4,28 m     14,04 ft       P     15,00 m     49,21 ft       E     5,28 m     17,32 ft       Cabins     2/3     2/3       Head     1/2     1/2       CE category     A8 / B12 / C14     A8 / B12 / C14       Design     Cossutti Yacht Design	Code 0	71,0 m²	764,2 sq.ft	
J     4,28 m     14,04 ft       P     15,00 m     49,21 ft       E     5,28 m     17,32 ft       Cabins     2/3     2/3       Head     1/2     1/2       CE category     A8 / B12 / C14     A8 / B12 / C14       Design     Cossutti Yacht Design	Mast length (max.) from waterline excl. Windex	18,57 m	60,92 ft	
Part of the component o		15,50 m	50,85 ft	
E         5,28 m         17,32 ft           Cabins         2/3         2/3           Head         1/2         1/2           CE category         A8 / B12 / C14         A8 / B12 / C14           Design         Cossutti Yacht Design	J	4,28 m	14,04 ft	
Cabins         2/3         2/3           Head         1/2         1/2           CE category         A8 / B12 / C14         A8 / B12 / C14           Design         Cossutti Yacht Design	0	15,00 m	49,21 ft	
Head         1/2         1/2           CE category         A8 / B12 / C14         A8 / B12 / C14           Design         Cossutti Yacht Design	<u> </u>	5,28 m	17,32 ft	
CE category A8 / B12 / C14 A8 / B12 / C14 Design Cossutti Yacht Design	Cabins	2/3	2/3	
Design Cossutti Yacht Design	Head	1/2	1/2	
·	CE category	A8 / B12 / C14	A8 / B12 / C14	
ASE PRICE FX WORKS (EYOL VAT) - C38 176 500 00 €	Design			
	ASE PRICE EX WORKS (EYOL WAT) - 038		176 500 00 £	

SAIL PLAN C38



DECKS PLAN C38





2

OPTIONAL PACKAGES		Price excl. VAT	C38
SAIL READY PACKAGE			
PACKAGE CONTENTS		10.840,00 €	
Battery extension, additional service battery, 1 x 180 Ah / 12 V, AGM incl. charger 60 A (instead of charger 40 A) Guard rail exit, both sides Anchor windlass, electric Anchor, 10 kg, incl. chain (8 mm, 75 m), galvanized Blinds for coachroof and hull windows Blinds incl. mosquito nets for hatches in salon and cabins Deck vent on salon deck hatch	Footrests for helmsman, removable Shower in cockpit incl. warm and cold wate Ambient light in pantry Safety light, 1 x per helmstation Maststep, 2 x Mooring kit (4 fenders and 4 mooring lines) Rope storage, at coachroof		
UPGRADES SAIL READY PACKAGE			
Bow protection, stainless steel		530,00 €	
Mooring cleats, 2 x, stainless steel, fix, midship		290,00€	
Bow thruster 80 kgf, tunnel, incl. additional battery		6.330,00 €	
Anchor windlass with capstan winch, electric		670,00 €	
Anchor, 10 kg, incl. chain (8 mm, 75 m), stainless steel		2.290,00 €	
Lithium Battery extension, 2 x 200 Ah/12V LiFe batteries instead of AGM	service batteries	5.700,00 €	
NAVIGATION PACKAGES			
NAVIGATION "BASIC" PACKAGE		2.880,00 €	
Display, 2 x B&G Triton <sup>2</sup> digital displays in cockpit B&G Wind vane	DST800 Transducer for speed, depth and to	emperature	
NAVIGATION "ADVANCED" PACKAGE (only with GRP cockpit table)		9.180,00 €	
Display, 2 x B&G Triton² digital displays in cockpit B&G Wind vane DST800 Transducer for speed, depth and temperature	weather touch screen and expanded keypad at cockpit table		
NAVIGATION "PREMIUM" PACKAGE (only with GRP cockpit table)		10.650,00 €	
Display, 2 x B&G Triton² digital displays in cockpit B&G Wind vane DST800 Transducer for speed, depth and temperature	Multi function display, B&G Zeus <sup>3</sup> S 9" with i weather touch screen and expanded keypa Autopilot B&G, incl. compass and WR10 win	d, at cockpittable	
UPGRADES NAVIGATION PACKAGE			
Multi function display, B&G Zeus³S 9" with integrated GoFree™ Wi-Fi; all-w keypad, at chart table	eather touch screen and expanded	3.630,00 €	
Radar B&G Halo 20+		3.840,00 €	
Depth sounder, B&G ForwardScan		1.760,00 €	
AIS transponder, B&G NAIS-500 class B transponder		1.530,00 €	
VHF, B&G V60 with integrated AIS Receiver + B&G H60 wireless handset a	at chart table	1.500,00 €	
"STYLE" PACKAGE			
PACKAGE CONTENTS		4.080,00 €	
Ceiling panel, fabric covered Headboard for berth and full height mirror in owner cabin	Full height mirror in salon Ambient lights in ceiling panel and below up	oper cupboards in sal	on
ENTERTAINMENT PACKAGE			
PACKAGE CONTENTS		2.980,00 €	
Radio entertainment system Fusion MS-RA770 Apollo Marine with DAB+ and 2 speakers in salon	Fusion ERX400 Apollo remote control with	2 speakers in cockpit	
UPGRADES ENTERTAINMENT PACKAGE			
TV preparation in salon		1.580,00 €	
Wifi antenna, 3G/4G		1.020,00 €	

INDIVIDUAL OPTIONS		Price excl. VAT	C38
HULL / KEEL			PACK
STANDARD			
Hull in hand layup sandwich construction, Signal White Hull stripe, dark blue Hull innerliner, Signal White	Chainplates for shrouds and backstays Hull windows in mineral glass (3 each side) Keel, L-shape, cast iron, draft 2,05 m		
OPTIONS			
Hull colour silk grey with hull stripe white		3.230,00 €	
Hull stripe, silk grey		740,00 €	
Hull stripe, dark grey		740,00 €	
Hull stripe, jet black		740,00 €	
Keel, L-shape, cast iron, draft 1,65 m		2.240,00€	
PROPULSION & STEERING SYSTEM			
STANDARD			
Diesel engine, 21.3 kW / 29,3 hp, sail drive 3 blade fixed propeller (not with optional engine) Engine throttle, mechanical, mounted on cockpit side starboard Diesel fuel tank, 210 L Fuel system	GRP single rudder with aluminum stock Twin wheel steering system with emergency t Steering wheel, stainless steel with leather cov		
OPTIONS			
Diesel engine, 29,4 kW / 40 hp, sail drive with 3 blade folding propelled	r	4.530,00 €	
Propeller, folding, 3 blades (for standard engine)		2.050,00 €	
Steering wheel, composite, black or white		1.760,00 €	
Steering wheel covers		620,00€	
STANDING AND RUNNING GEAR			
STANDARD			
LED Navigation lights Elvström Cruisetech Dacron - Mainsail, short battened with 2 reefs - self tacking jib, no battens Sportmast,deck stepped, 2 spreader, aluminum Backstay adjuster, mechanical	Rod kicker Wind indicator Running rigging Halyard winches, 2 x, size 40, manual		
OPTIONS SPORTMAST			
Elvström Cruisetech Dacron - Mainsail, full battened with 2 reefs and	,	1.430,00 €	
Elvström Ekko-Tech laminate - Mainsail, full battened with 2 reefs and	d IWS slider- self tacking jib, vertical battened	4.900,00 €	
Lazy bag with lazy jacks for mainsail		1.330,00 €	
OPTIONS FURLING MAST			
Furling mast on deck stepped 2 spreader, aluminum incl. upgrade to	<u> </u>	2.640,00 €	<u> </u>
Elvström Cruisetech Dacron UPGRADE - furling mainsail, full battened	**	1.480,00 €	<u> </u>
Elvström Ekko-Tech laminate - furling mainsail, full battened - self-tac	cking jib with vertical battens	5.150,00 €	
OPTIONS STANDING AND RUNNING GEAR		F70.00.6	
Running rigging with dyneema halyards	- +	570,00 €	
Elvström Cruisetech Dacron 109% genoa, no battens (only with genoa tracks)		2.671,00 €	
Elvström Ekko-Tech laminate 109% genoa, vertical battens (only with	genoa tracks)	4.195,00 €	
Genoa tracks with pin stop cars		1.470,00 €	
GRP bowsprit, white (silk grey with hull color silk grey)	pokar/aada () winahaa and gaar)	2.950,00 €	
Elvström permanent Code 0 (only with bowsprit and with genoa/gennaker/code 0 winches and gear)  Elvström gennaker incl. Snuffer (only with genoa/gennaker/code 0 winches and gear)		6.124,00 € 4.890,00 €	
Gennaker / Code 0 gear (2:1 halyard, jammer, sheets, padeyes and blocks)		1.460,00 €	
OPTIONS WINCHES		1. 100,00 €	
Halyard winches, 2 x, size 45, manual		600,00 €	П
Genoa/gennaker/code0 winches, 2 x, size 45, manual		2.290,00 €	
Genoa/gennaker/code0 winches, 2 x, size 45, electrical		5.560,00 €	
Sheet winches, 2 x, at helm station, size 45, manual		3.210,00 €	

Sheet winches, 2 x, at helm station, size 45, electrical

7.650,00 €

DECK FLOORING	
STANDARD	
Teak on cockpit benches	
OPTIONS	
Teak on cockpit bottom	3.540,00 € □
Teak on sidedeck	11.190,00 € □
Esthec on cockpit benches	410,00 € □
Esthec on cockpit bottom	3.590,00 € □
Esthec on side deck	11.720,00 € □
COCKPIT & DECK	
STANDARD	
Deck in hand lay-up sandwich construction, cockpit floor, side decks and coach roof with non-slip structure GRP deck innerliner, signal white GRP anchor- and sail locker hatch Cockpit locker on portside and starboard Transom locker portside Gas box in cockpit Midboom sheeting system Self tacking jib system Jib furling system, above deck Pulpit and pushpit in stainless steel	Railing incl. stanchions and stainless steel wire Blocks, organizers and jammers for running rigging, padeyes for safety lines and flagpole support Handrail on coachroof, stainless steel Bow fitting with anchor roller Magnetic compass on helm pedastal stb Mooring cleats, 4 x, stainless steel Coachroof window 1 x on each side incl. 1 portlight for head Deck flush hatches, 6 x, openable, for cabins, heads and salon; 1 x portlight per cockpit side in aft cabins Companion way with sliding hatch and hinged doors
OPTIONS COCKPIT & DECK	
Helmsman seats incl. teak	1.890,00 € □
Esthec on helmsman seats	210,00 € □
Coachroof windows, 3 x additional portlights in salon	1.580,00 €
Cockpit table, GRP, with storage, foldable	2.430,00 €
Backrest, 2 x for cockpit, mounted on steering pedestal	990,00 € □
OPTIONS COCKPIT UPHOLSTERY	
Cockpit cushions for main cockpit	1.070,00 €
Cushion incl. backrest at pulpit for helmsman area	960,00€ □
Cushion incl. backrest at pulpit for helmsman seat (only with helms	man seats) 720,00 € □
Sunbed cushions on foredeck	1.250,00 €
OPTIONS HOODS	
Sprayhood with handhold	2.670,00 €
Bimini top	3.810,00 €
Cockpit table cover (only with GRP cockpit table)	670,00 € □
BATHING PLATFORM	
STANDARD	
Swimming and emergency ladder	
OPTIONS	
Bathing platform, manual (only with Teak or Esthec on bathing platf	form) 4.990,00 €
Teak on bathing platform	1.110,00 €
Esthec on bathing platform	1.290,00 € □
INTERIOR LAYOUT	
B1: Master cabin with master double berth and storage C1: Salon with dining area on starboard and sofa with chart table on portside C1: Head with washbasin, toilet and separate shower on starboard C1: L-shaped galley on portside with washbasin, 110 L fridge and 3 burner gas stove	C1: Companion way with 5 stairs, openable for access to engine compartment D1: Utility room aft with big storage D1: Aft cabin with double berth and storage space on starboard Salon table, fix with stowage Safety light at companion way (red) Smoke detector in salon

OPTIONS			
B2: Master cabin with separate head (incl. washbasin, toilet and shower function), master double berth and storage		5.100,00€	
D2: Aft cabin with double berth and storage space on portside		2.720,00 €	
Salon table, extractable and manually lowerable, incl. cushion for ac	dditional double berth	2.270,00 €	
Shower seat for head aft		990,00€	
INTERIOR STYLING			
STANDARD			
	Link alataw ("Vala" in a alaw		
Wood color, Mahogany Fußboden, Elm Worktop in galley, laminated, white	Upholstery "Vela" in salon Standard mattress for all berths		
OPTIONS STYLING			
Wood color, American Walnut		4.600,00 €	
Wood color, Nordic Oak		5.100,00 €	
Floor, Wenge		570,00€	
Floor, Ocean Line		850,00€	
Worktop in galley, laminated, Black		640,00€	
OPTIONS UPHOLSTERY			
Upholstery "Heritage" in salon, fabric		940,00 €	
Upholstery "Opus" in salon, artificial leather		1.040,00 €	
Upholstery "Savoy" in salon, leather		3.230,00 €	
Cold foam mattress with memory top for all berths 2 cabins		1.870,00€	
Cold foam mattress with memory top for all berths 3 cabins		2.150,00 €	
INTERIOR EQUIPMENT - GALLEY			
STANDARD			
Fridge in galley, 110L, front loading	LPG gas system with locker (for 1 bott	a) and 2 hurnar gas et	avo with oven
OPTIONS	Li d gas system with locker (lot i bott	e) and 5 burner gas str	Jve with oven
Microwave, 230 V, (powered by Generator or Shore-Power)		780,00 €	П
Microwave preparation, 110 V, (powered by Generator or Shore-Pov	wor)	410,00 €	
	wei)	410,00 €	
INTERIOR EQUIPMENT - ELECTRICAL SYSTEM			
STANDARD			
Country Version EU 12V electrical main panel Main panel, 230 V socket in each cabin and head, in pantry (2) and at chart table Engine battery, 1 x 95 Ah / 12 V, AGM	Reading lights incl. USB socket for eac overhead lights in cabins, salon und he Service battery, 1 x 180 Ah / 12 V, AGN Battery charger, 40 Ah (3 channels) Shore power 230 V	ads	ole, LED
OPTIONS			
Shore power 110 V		2.670,00 €	
Inverter 2.500 W, 230 V (true sine wave)		3.070,00 €	
Inverter 2.000 W, 110 V (true sine wave)		3.070,00 €	
INTERIOR EQUIPMENT - WATER			
STANDARD			
Fresh water tank, 210 L (not with grey water system) Fresh water system Hot water boiler, 20 L, heated by engine Black water tank, 70 L per toilet	Manual toilet in head with seawater flu Grey water overboard discharge Bilge pump, electrical and manual	sh system	
OPTIONS			
Fresh water tank, 150 L, additional, below forward berth (standard with grey water system)		830,00 €	
Fresh water dockside inlet		560,00 €	
Electric toilet in fwd head with freshwater flush system (only with B2 layout)		1.250,00 €	
Electric toilet in salon head with freshwater flush system		1.250,00 €	
Grey water system, 210 L		2.040,00 €	
Grey water system "Lakes", 210 L		1.870,00 €	

INTERIOR EQUIPMENT - CLIMATE CONTROL (HEATING AND AIR CONDITIONER ARE NOT COMBINABLE)		
OPTIONS		
Air Conditioner, Reverse Cycle, 16.000 BTU, 2 Units for foreship cabin and aft cabin(s), 230 V / 110 V (with 230V: incl. 2nd shore power)	15.990,00€	
Air Conditioner, Reverse Cycle, 12.000 BTU, 1 Unit for salon, 230 V / 110 V (with 230V: incl. 2nd shore power)	11.900,00€	
Hot air heating, 4,0 kW, 1 Unit for salon, foreship cabin and aft cabin(s)	4.530,00 €	
SHIPMENT		
OPTIONS		
Keel not mounted	630,00€	
Steel cradle for oversea transport	4.110,00€	
Steel cradle for oversea transport without keel (only with keel not mounted)	5.530,00 €	
Shrink wrap foil	940,00€	

 $Bavaria\ Yachtbau\ GmbH,\ Bavariastraße\ 1,\ D-97232\ Giebelstadt,\ Phone\ +49\ 9334\ 942-0,\ Fax\ +49\ 9334\ 942-1160,\ www.bavariayachts.com,\ info@bavariayachts.com$ 

All prices are in EURO and are valid only in conjunction and at the time of ordering a new yacht ex works Giebelstadt. All measurements and weights are calculations based upon design documents. The brochure is intended for advertisement only and is not part of a contract, warranty or of any offer. We reserve the right to modify or improve our products and to change specifications without notice. We reserve the right to replace the brands/manufacturers mentioned in the price list with equivalent products from other reputable manufacturers. We are not liable for errors and printing mistakes. Aforementioned prices are recommended sales prices for deliveries ex works within 4 months of order placement. Later deliveries are subject to invoicing according to the then valid price list.

Version: 2/2024
Valid from 01st January 2024
Publication: 22nd December 2024 – The previous price list loses its validity.
Language/Taxes: English pricelist/all prices excl. VAT

